



### Summary of Significant Assay Results

First Drill Holes of 2013 Drill Program

### Bolo Gold Project, Nevada

Drill Hole	Au						Ag					
	From (ft)	To (ft)	From (m)	To (m)	g/T	oz/ton	From (ft)	To (ft)	From (m)	To (m)	g/T	oz/ton
<b>BL-35</b>  Including and incl. and incl. and incl.	0	10	0.0	3.0	0.38	0.011	155	180	54.5	54.9	28.9	0.843
	95	105	29.0	32.0	0.20	0.006	195	205	59.1	62.1	16.9	0.493
	140	475	42.7	144.8	0.60	0.018	410	425	124.2	128.8	18.3	0.534
	140	150	42.7	45.7	2.81	0.082	465	475	140.9	143.9	17.0	0.496
	140	165	42.7	50.3	1.71	0.050						
	380	435	115.8	132.6	1.53	0.045						
	460	465	140.2	141.7	1.16	0.034						
<b>BL-36</b>	115	140	35.1	42.7	0.75	0.022	120	155	36.3	47.0	22.3	0.651
Including	115	125	35.1	38.1	1.69	0.049						
<b>BL-37</b>  Including	0	50	0.0	15.2	0.04	0.011	85	100	25.8	30.3	36.0	1.051
	60	100	18.3	30.5	0.67	0.020	120	155	36.6	47.2	22.3	0.652
	290	325	88.4	99.1	0.83	0.024	Incl. 120	140	36.6	42.7	31.5	0.918
	405	505	123.4	153.9	0.97	0.028	410	505	125.0	153.9	57.6	1.679
	405	410	123.4	125.0	2.49	0.073	Incl. 455	465	138.7	141.7	360.5	10.514
<b>BL-38</b>  Including and incl. and incl. and incl.	0	435	0.0	132.6	1.28	0.037	190	225	57.9	68.6	24.5	0.715
	145	245	44.2	74.7	3.24	0.095	305	325	92.4	98.5	29.2	0.853
	180	225	54.9	68.6	5.08	0.148	475	480	143.9	145.5	68.3	1.994
	290	330	88.4	100.6	3.05	0.089						
	380	385	115.8	117.3	6.66	0.194						
<b>BL-39</b>  Including and incl.	0	295	0.0	89.9	1.06	0.031	205	230	57.9	69.7	54.3	1.584
	0	135	0.0	40.9	2.05	0.070	315	320	95.5	82.3	68.3	1.992
	0	45	0.0	13.7	3.26	0.095						
<b>BL-40</b>	NSV						225	235	71.2	70.1	126.3	3.587

...continued

Drill Hole	From (ft)	To (ft)	From (m)	To (m)	g/T	oz/ton	From (ft)	To (ft)	From (m)	To (m)	g/T	oz/ton
<b>BL-41</b>	0	170	0.0	51.8	1.27	0.037						
Including	30	55	9.1	16.7	2.56	0.074	180	190	54.5	57.6	32.6	0.952
and incl.	70	125	21.3	38.1	2.15	0.063						
and incl.	70	100	21.3	30.5	2.70	0.080						
	180	210	54.9	64.0	0.21	0.006						
	265	310	80.8	94.5	0.21	0.006						
	435	445	132.6	135.6	0.14	0.004						
<b>BL-42</b>	0	105	0.0	32.0	0.69	0.020	20	80	6.1	24.2	18.3	0.534
Including	20	40	6.1	12.2	2.87	0.084	310	325	93.9	98.5	24.4	0.706
	190	200	57.5	60.9	0.37	0.011	480	495	145.5	150.0	19.2	0.561
	415	485	126.5	147.8	0.55	0.016	535	540	162.1	163.6	41.3	1.206
BL-43	280	325	84.8	98.5	0.14	0.004	25	30	7.6	9.1	23.8	0.695
BL-44	430	440	130.3	133.3	0.73	0.021	465	470	140.9	142.4	19.4	0.566
	540	545	163.6	165.2	1.24	0.036						
BL-45	NSV						215	250	65.2	75.8	12.9	0.377
BL-46	NSV						495	525	150.0	159.1	25.8	0.753

BL-47, 48,49,50,51,52,53 all had NSV both in gold and silver



**Drill Hole Collar Info and Depths**  
**2013 Drill Campaign**  
*Bolo Gold Project, Nevada*

DH_ID	TD_FT	TD_M	DIP	AZ	AREA	E_UTM	N_UTM	ELEV_M
BL-035	505	153.9	-60	270	SMF	554506.9	4264894.9	2017.0
BL-036	445	135.6	-50	270	SMF	554506.3	4264872.7	2016.3
BL-037	545	166.1	-90	0	SMF	554480.1	4264886.0	2029.0
BL-038	505	153.9	-65	270	SMF	554511.5	4264931.8	2021.7
BL-039	505	153.9	-65	270	SMF	554510.4	4264958.3	2031.2
BL-040	545	166.1	-60	270	SMF	554512.3	4264989.1	2035.9
BL-041	625	190.5	-90	0	SMF	554480.5	4264962.8	2040.0
BL-042	585	178.3	-60	270	SMF	554485.5	4264901.7	2025.0
BL-043	605	184.4	-60	270	NEX	554587.1	4265392.8	2014.3
BL-044	545	166.1	-90	0	NEX	554443.1	4265384.0	2024.2
BL-045	585	178.3	-60	270	NEX	554589.0	4265512.9	2052.8
BL-046	665	202.7	-60	270	NEX	554549.6	4265823.4	2151.5
BL-047	665	202.7	-45	230	FNEX	554622.3	4266097.6	2041.0
BL-048	765	233.2	-90	0	FNEX	554508.8	4266110.0	2058.0
BL-049	665	202.7	-45	240	FNEX	554441.9	4266161.1	2048.0
BL-050	730	222.5	-45	240	FNEX	554570.3	4266120.9	2049.0
BL-051	705	214.9	-45	270	NEFZ	555673.7	4266731.9	2011.7
BL-052	605	184.4	-60	270	NEFZ	555664.6	4266565.0	1980.0
BL-053	605	184.4	-60	270	NEFZ	555682.0	4266297.4	1955.3
	11400	3475						