



Cut-off 0.12 g/t Gold & 6.86 g/t Silver

**ES-123**

**1390.5', 430-1390.5 Core**

**Gold**

175-275', 100' (53.3-83.8m, 30.5m) @ 0.16 g/t Au

375-380', 5' (114.3-115.8m, 1.5m) @ 0.14 g/t Au

500-505', 5' (152.4-153.9m, 1.5m) @ 0.26 g/t Au

519-572', 53' (158.2-174.4m, 16.2m) @ 0.17 g/t Au

591-601', 10' (180.1-183.2m, 3.1m) @ 0.25 g/t Au

655-657', 2' (199.6-200.3m, 0.7m) @ 0.13 g/t Au

667-679.5', 12.5' (203.3-207.1m, 3.8m) @ 0.20 g/t Au

776-786', 10' (236.5-239.6m, 3.1m) @ 0.13 g/t Au

817-822', 5' (249-250.6m, 1.5m) @ 0.14 g/t Au

832-833', 1' (253.6-253.9m, 0.3m) @ 0.18 g/t Au

852-857', 5' (259.7-261.2m, 1.5m) @ 0.22 g/t Au

866-896', 30' (264-273.1m, 9.1m) @ 1.05 g/t Au

Includes:

- 877.5-885', 7.5' (267.5-269.8m, 2.3m) @ 1.41 g/t Au
- 892.5-896', 3.5' (272-273.1m, 1.1m) @ 3.41 g/t Au

913-920.5', 7.5' (278.3-280.6m, 2.3m) @ 0.56 g/t Au

932-1007', 75' (284.1-306.9m, 22.9m) @ 0.39 g/t Au

Includes:

- 952-955', 3' (290.2-291.1m, 0.9m) @ 1.67 g/t Au
- 972-976', 4' (296.3-297.5m, 1.2m) @ 2.49 g/t Au

1017-1023', 6' (310-311.8m, 1.8m) @ 0.25 g/t Au

1039-1051', 12' (316.7-320.4m, 3.7m) @ 0.14 g/t Au

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Gold, ES-123 Continued**

1076-1098.5', 22.5' (328-334.8m, 6.9m) @ 0.22 g/t Au  
1123-1138', 15' (342.3-346.9m, 4.6m) @ 0.26 g/t Au  
1166-1171', 5' (355.4-356.9m, 1.5m) @ 0.18 g/t Au  
1181-1186', 5' (360-361.5m, 1.5m) @ 0.13 g/t Au  
1196-1275', 79' (364.5-388.6m, 24.1m) @ 0.27 g/t Au  
1298-1303', 5' (395.6-397.2m, 1.5m) @ 0.21 g/t Au  
1347-1357', 10' (410.6-413.6m, 3.1m) @ 0.18 g/t Au  
1370-1390.5', 20.5' (417.6-423.8m, 6.3m) @ 0.25 g/t Au

**Silver**

500-505', 5' (152.4-153.9m, 1.5m) @ 7.70 g/t Ag  
519-525.5', 6.5' (158.2-160.2m, 2m) @ 31.22 g/t Ag  
877.5-881', 3.5' (267.5-268.5m, 1.1m) @ 10.04 g/t Ag  
952-955', 3' (290.2-291.1m, 0.9m) @ 7.38 g/t Ag  
972-986', 14' (296.3-300.5m, 4.3m) @ 5.90 g/t Ag  
995-1007', 12' (303.3-306.9m, 3.6m) @ 11.40 g/t Ag  
1039-1046.5', 7.5' (316.7-319m, 2.3m) @ 17.31 g/t Ag  
1119-1129.5', 10.5' (341.1-344.3m, 3.2m) @ 34.06 g/t Ag  
1352-1357', 5' (412.1-413.6m, 1.5m) @ 11.46 g/t Ag

**Hole Bottomed in Values**

**ES-124**

**Gold**

225-245', 20' (68.6-74.7m, 6.1m) @ 0.42 g/t Au  
290-305', 15' (88.4-93m, 4.6m) @ 0.14 g/t Au

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Gold, ES-124 Continued**

380-395', 15' (115.8-120.4m, 4.6m) @ 0.13 g/t Au

480-485', 5' (146.3-147.8m, 1.5m) @ 0.13 g/t Au

525-535', 10' (160-163.1m, 3.1m) @ 0.23 g/t Au

585-595', 10' (178.3-181.4m, 3.1m) @ 0.29 g/t Au

655-660', 5' (199.6-201.2m, 1.5m) @ 0.12 g/t Au

780-820', 40' (237.7-249.9m, 12.2m) @ 1.60 g/t Au

Includes:

- 785-795', 10' (239.3-240.8m, 3.1m) @ 5.40 g/t Au

875-890', 15' (266.7-271.3m, 4.6m) @ 0.12 g/t Au

910-920', 10' (277.4-280.4m, 3.1m) @ 0.17 g/t Au

930-945', 15' (283.5-288m, 4.6m) @ 0.13 g/t Au

955-960', 5' (291.1-292.6m, 1.5m) @ 0.12 g/t Au

1015-1055', 40' (309.4-321.6m, 12.2m) @ 0.16 g/t Au

1095-1195', 100' (333.8-364.2m, 30.5m) @ 0.75 g/t Au

Includes:

- 1100-1115', 15' (335.3-339.9m, 4.6m) @ 3.87 g/t Au

**Silver**

225-230', 5' (68.6-70.1m, 1.5m) @ 17.31 g/t Ag

280-315', 35' (85.3-96m, 10.7m) @ 12.63 g/t Ag

380-400', 20' (115.8-121.9m, 6.1m) @ 17.22 g/t Ag

425-430', 5' (129.5-131.1m, 1.5m) @ 8.42 g/t Ag

785-800', 15' (239.3-243.8m, 4.6m) @ 24.66 g/t Ag

1095-1110', 15' (333.8-338.3m, 4.6m) @ 39.23 g/t Ag

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**ES-125**

**Gold**

170-200', 30' (51.8-61m, 9.1m) @ 0.13 g/t Au

305-310', 5' (93-94.5m, 1.5m) @ 0.14 g/t Au

395-405', 10' (120.4-123.4m, 3.1m) @ 0.38 g/t Au

415-445', 30' (126.5-135.6m, 9.1m) @ 0.56 g/t Au

Includes:

- 430-435', 5' (131.1-132.6m, 1.5m) @ 1.90 g/t Au

550-590', 40' (167.6-179.8m, 12.2m) @ 0.34 g/t Au

625-650', 25' (190.5-198.1m, 7.6m) @ 0.44 g/t Au

840-870', 30' (256-265.2m, 9.1m) @ 0.48 g/t Au

895-965', 70' (272.8-294.1m, 21.3m) @ 0.53 g/t Au

Includes:

- 905-910', 5' (275.8-277.4m, 1.5m) @ 1.26 g/t Au
- 920-925', 5' (280.4-281.9m, 1.5m) @ 1.44 g/t Au

975-1050', 75' (297.2-320m, 22.9m) @ 2.16 g/t Au

Includes:

- 1020-1025', 5' (310.9-312.4m, 1.5m) @ 18.10 g/t Au

**Silver**

395-405', 10' (120.4-123.4m, 3.1m) @ 24.49 g/t Ag

430-440', 10' (131.1-134.1m, 3.1m) @ 20.44 g/t Ag

570-575', 5' (173.7-175.3m, 1.5m) @ 7.03 g/t Ag

635-640', 5' (193.5-195.1m, 1.5m) @ 7.63 g/t Ag

670-675', 5' (204.2-205.7m, 1.5m) @ 15.83 g/t Ag

690-695', 5' (210.3-211.8m, 1.5m) @ 8.38 g/t Ag

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Silver, ES-125 Continued**

740-745', 5' (225.6-227.1m, 1.5m) @ 8.12 g/t Ag  
855-875', 20' (260.6-266.7m, 6.1m) @ 13.07 g/t Ag  
935-940', 5' (285-286.5m, 1.5m) @ 7.57 g/t Ag  
975-980', 5' (297.2-298.7m, 1.5m) @ 12.82 g/t Ag  
995-1000', 5' (303.3-304.8m, 1.5m) @ 7.33 g/t Ag  
1010-1050', 40' (307.8-320m, 12.2m) @ 25.56 g/t Ag

**ES-126**

**Gold**

105-115', 10' (32-35.1m, 3.1m) @ 0.28 g/t Au  
395-400', 5' (120.4-121.9m, 1.5m) @ 0.17 g/t Au  
520-530', 10' (158.5-161.5m, 3.1m) @ 0.17 g/t Au  
730-735', 5' (222.5-224m, 1.5m) @ 0.12 g/t Au  
760-770', 10' (231.6-234.7m, 3.1m) @ 0.16 g/t Au  
785-935', 150' (239.3-285m, 45.7m) @ 1.26 g/t Au

Includes:

- 790-805', 15' (240.8-245.4m, 4.6m) @ 3.41 g/t Au
  - 815-840', 25' (248.4-256m, 7.6m) @ 4.25 g/t Au
- 975-985', 10' (297.2-300.2m, 3.1m) @ 0.17 g/t Au  
1010-1020', 10' (307.8-310.9m, 3.1m) @ 0.46 g/t Au

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Silver, ES-126 Continued**

790-845', 55' (240.8-257.6m, 16.8m) @ 79.29 g/t Ag

Includes:

- 795-800', 5' (242.3-243.8m, 1.5m) @ 137.11 g/t Ag
  - 825-835', 10' (251.5-254.5m, 3.1m) @ 166.84 g/t Ag
- 880-890', 10' (268.2-271.3m, 3.1m) @ 10.22 g/t Ag

**ES-127**

**Gold**

355-370', 15' (108.2-112.8m, 4.6m) @ 0.32 g/t Au

475-480', 5' (144.8-146.3m, 1.5m) @ 0.18 g/t Au

495-510', 15' (150.9-155.4m, 4.6m) @ 0.27 g/t Au

535-550', 15' (163.1-167.6m, 4.6m) @ 0.16 g/t Au

645-655', 10' (196.6-199.6m, 3.1m) @ 0.22 g/t Au

685-690', 5' (208.8-210.3m, 1.5m) @ 0.24 g/t Au

710-730', 20' (216.4-222.5m, 6.1m) @ 0.19 g/t Au

780-785', 5' (237.7-239.3m, 1.5m) @ 0.15 g/t Au

825-840', 15' (251.5-256m, 4.6m) @ 0.13 g/t Au

860-950', 90' (262.1-289.6m, 27.4m) @ 0.57 g/t Au

Includes:

- 910-930', 20' (277.4-283.5m, 6.1m) @ 1.20 g/t Au
- 965-970', 5' (294.1-295.7m, 1.5m) @ 0.13 g/t Au
- 1010-1055', 45' (307.8-321.6m, 13.7m) @ 0.46 g/t Au

**Silver**

760-765', 5' (231.6-233.2m, 1.5m) @ 7.04 g/t Ag

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Silver, ES-127 Continued**

780-785', 5' (237.7-239.3m, 1.5m) @ 16.35 g/t Ag

835-840', 5' (254.5-256m, 1.5m) @ 7.44 g/t Ag

860-870', 10' (262.1-265.2m, 3.1m) @ 14.73 g/t Ag

880-885', 5' (268.2-269.7m, 1.5m) @ 14.42 g/t Ag

920-950', 30' (280.4-289.6m, 9.1m) @ 13.59 g/t Ag

965-970', 5' (294.1-295.7m, 1.5m) @ 9.67 g/t Ag

**ES-128**

**Gold**

175-180', 5' (53.3-54.9m, 1.5m) @ 0.30 g/t Au

350-375', 25' (106.7-114.3m, 7.6m) @ 0.14 g/t Au

620-625', 5' (189-190.5m, 1.5m) @ 0.64 g/t Au

740-770', 30' (225.6-234.7m, 9.1m) @ 0.61 g/t Au

800-805', 5' (243.8-245.4m, 1.5m) @ 0.20 g/t Au

860-900', 40' (262.1-274.3m, 12.2m) @ 0.14 g/t Au

965-1175', 210' (294.1-358.1m, 64m) @ 0.81 g/t Au

Includes:

- 1025-1070', 45' (312.4-326.1m, 13.7m) @ 3.45 g/t Au

1210-1215', 5' (368.8-370.3m, 1.5m) @ 0.49 g/t Au

**Silver**

1035-1145', 110' (315.5-349m, 33.5m) @ 20.21 g/t Ag

Includes:

- 1045-1070', 25' (318.5-326.1m, 7.6m) @ 64.04 g/t Ag

1160-1175', 15' (353.6-358.1m, 4.6m) @ 10.53 g/t Ag

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Silver, ES-128 Continued**

1185-1225', 40' (361.2-373.4m, 12.2m) @ 14.26 g/t Ag

Includes:

- 1210-1215', 5' (368.8-370.3m, 1.5m) @ 44.02 g/t Ag

**Hole Bottomed in Values**

**ES-129, Core**

**Gold**

434-446.5', 12.5' (132.3-136.1m, 3.8m) @ 0.18 g/t Au

486-500', 14' (148.1-152.4m, 4.3m) @ 0.17 g/t Au

512-560', 48' (156.1-170.7m, 14.6m) @ 0.19 g/t Au

573-693', 120' (174.7-211.2m, 36.6m) @ 0.42 g/t Au

Includes:

- 592-597', 5' (180.4-182m, 1.5m) @ 1.66 g/t Au
- 620-622', 2' (189-189.6m, 0.6m) @ 3.68 g/t Au
- 636-637.5', 1.5' (193.9-194.3m, 0.5m) @ 8.78 g/t Au

712-715', 3' (217-217.9m, 0.9m) @ 0.24 g/t Au

766-808', 42' (233.5-246.3m, 12.8m) @ 0.19 g/t Au

857-862', 5' (261.2-262.7m, 1.5m) @ 0.51 g/t Au

895-914', 19' (272.8-278.6m, 5.8m) @ 0.14 g/t Au

929-934', 5' (283.2-284.7m, 1.5m) @ 0.15 g/t Au

949-952', 3' (289.3-290.2m, 0.9m) @ 0.16 g/t Au

963-1021', 58' (293.5-311.2m, 17.7m) @ 0.20 g/t Au

1039-1044', 5' (316.7-318.2m, 1.5m) @ 1.59 g/t Au

1086-1091', 5' (331-332.5m, 1.5m) @ 0.21 g/t Au



**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Gold, ES-129 Continued**

1134-1237', 103' (345.6-377m, 31.4m) @ 0.21

Includes:

- 1223.5-1228', 4.5' (372.9-374.3m, 1.4m) @ 1.03 g/t Au

1272-1284', 12' (387.7-391.4m, 3.7m) @ 0.14 g/t Au

1303-1307', 4' (397.2-398.4m, 1.2m) @ 0.13 g/t Au

1330-1404', 74' (405.4-427.9m, 22.6m) @ 0.57 g/t Au

Includes:

- 1364-1368', 4' (415.8-417m, 1.2m) @ 2.00 g/t Au
- 1377-1382', 5' (419.7-421.2m, 1.5m) @ 2.42 g/t Au

1418-1448', 30' (432.2-441.4m, 9.1m) @ 0.26 g/t Au

**Silver**

585-597', 12' (178.3-182m, 3.7m) @ 7.86 g/t Ag

636-637.5', 1.5' (193.9-194.3m, 0.5m) @ 10.66 g/t Ag

857-862', 5' (261.2-262.7m, 1.5m) @ 10.92 g/t Ag

1009-1013', 4' (307.5-308.7m, 1.2m) @ 17.08 g/t Ag

1160-1177', 17' (353.6-358.8m, 5.2m) @ 18.89 g/t Ag

1186-1191', 5' (361.5-363m, 1.5m) @ 7.45 g/t Ag

1272-1284', 12' (387.7-391.4m, 3.7m) @ 8.84 g/t Ag

**ES-130**

**Gold**

120-145', 25' (36.6-44.2m, 7.6m) @ 0.31 g/t Au

310-315', 5' (94.5-96m, 1.5m) @ 0.71 g/t Au

330-335', 5' (100.6-102.1m, 1.5m) @ 0.34 g/t Au

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Gold, ES-130 Continued**

350-365', 15' (106.7-111.3m, 4.6m) @ 0.18 g/t Au

445-450', 5' (135.6-137.2m, 1.5m) @ 0.13 g/t Au

1095-1165', 70' (333.8-355.1m, 21.3m) @ 1.41 g/t Au

Includes:

- 1100-1125', 25' (335.3-342.9m, 7.6m) @ 3.38 g/t Au

**Silver**

1095-1165', 70' (333.8-355.1m, 21.3m) @ 21.73 g/t Ag

Includes:

- 1095-1105', 10' (333.8-336.8m, 3.1m) @ 76.67 g/t Ag

**Hole Bottomed in Values**

**ES-131**

**Gold**

480-545', 65' (146.3-166.1m, 19.8m) @ 0.50 g/t Au

Includes:

- 525-530', 5' (160-161.5m, 1.5m) @ 2.16 g/t Au

565-570', 5' (172.2-173.7m, 1.5m) @ 0.25 g/t Au

610-625', 15' (185.9-190.5m, 4.6m) @ 0.32 g/t Au

640-645', 5' (195.1-196.6m, 1.5m) @ 0.96 g/t Au

665-745', 80' (202.7-227.1m, 24.4m) @ 0.21 g/t Au

760-765', 5' (231.6-233.2m, 1.5m) @ 0.17 g/t Au

790-795', 5' (240.8-242.3m, 1.5m) @ 1.29 g/t Au

835-865', 30' (254.5-263.7m, 9.1m) @ 0.21 g/t Au

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Gold, ES-131 Continued**

880-940', 60' (268.2-286.5m, 18.3m) @ 0.60 g/t Au

Includes:

- 880-890', 10' (268.2-271.3m, 3.1m) @ 3.38 g/t Au
- 900-905', 5' (274.3-275.8m, 1.5m) @ 1.12 g/t Au

1020-1030', 10' (310.9-313.9m, 3.1m) @ 0.32 g/t Au

1055-1060', 5' (321.6-323.1m, 1.5m) @ 0.34 g/t Au

1125-1140', 15' (342.9-347.5m, 4.6m) @ 0.13 g/t Au

**Silver**

500-550', 50' (152.4-167.6m, 15.2m) @ 8.10 g/t Ag

690-695', 5' (210.3-211.8m, 1.5m) @ 13.28 g/t Ag

740-745', 5' (225.6-227.1m, 1.5m) @ 7.77 g/t Ag

880-885', 5' (268.2-269.7m, 1.5m) @ 12.60 g/t Ag

900-905', 5' (274.3-275.8m, 1.5m) @ 7.29 g/t Ag

930-935', 5' (283.5-285m, 1.5m) @ 8.13 g/t Ag

**ES-132**

**Gold**

165-195', 30' (50.3-59.4m, 9.1m) @ 0.16 g/t Au

235-240', 5' (71.6-73.2m, 1.5m) @ 0.18 g/t Au

330-335', 5' (100.6-102.1m, 1.5m) @ 0.14 g/t Au

350-355', 5' (106.7-108.2m, 1.5m) @ 0.12 g/t Au

455-470', 15' (138.7-143.3m, 4.6m) @ 0.44 g/t Au

645-650', 5' (196.6-198.1m, 1.5m) @ 0.16 g/t Au

685-690', 5' (208.8-210.3m, 1.5m) @ 0.19 g/t Au

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Gold, ES-132 Continued**

725-730', 5' (221-222.5m, 1.5m) @ 0.14 g/t Au

795-800', 5' (242.3-243.8m, 1.5m) @ 0.18 g/t Au

815-820', 5' (248.4-249.9m, 1.5m) @ 0.15 g/t Au

830-1085', 255' (253-330.7m, 77.7m) @ 0.53 g/t Au

Includes:

- 905-910', 5' (275.8-277.5m, 1.5m) @ 1.40 g/t Au
- 940-945', 5' (286.5-288m, 1.5m) @ 1.45 g/t Au
- 1025-1050', 25' (312.5-320m, 7.6m) @ 2.26 g/t Au

**Silver**

350-355', 5' (106.7-108.2m, 1.5m) @ 7.56 g/t Ag

1020-1050', 30' (310.9-320m, 9.1m) @ 24.99 g/t Ag

1060-1070', 10' (323.1-326.1m, 3.1m) @ 9.16 g/t Ag

**ES-133**

**Gold**

175-185', 10' (53.3-56.4m, 3.1m) @ 0.29 g/t Au

525-570', 45' (160-173.7m, 13.7m) @ 0.41 g/t Au

Includes:

- 525-530', 5' (160-161.5m, 1.5m) @ 1.41 g/t Au

615-645', 30' (187.5-196.6m, 9.1m) @ 0.12 g/t Au

665-745', 80' (202.7-227.1m, 24.4m) @ 0.56 g/t Au

Includes:

- 685-695', 10' (208.8-211.8m, 3.1m) @ 2.61 g/t Au

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**Gold, ES-133 Continued**

760-945', 185' (231.6-288m, 56.4m) @ 0.71 g/t Au

Includes:

- 785-790', 5' (239.3-240.8m, 1.5m) @ 5.48 g/t Au
- 805-815', 10' (245.4-248.4m, 3.1m) @ 2.75 g/t Au
- 870-880', 10' (265.2-268.2m, 3.1m) @ 1.88 g/t Au

955-990', 35' (291.1-301.8m, 10.7m) @ 0.18 g/t Au

1005-1035', 30' (306.3-315.5m, 9.1m) @ 0.17 g/t Au

1060-1075', 15' (323.1-327.7m, 4.6m) @ 0.32 g/t Au

1095-1105', 10' (333.8-336.8m, 3.1m) @ 0.16 g/t Au

1120-1125', 5' (341.4-342.9m, 1.5m) @ 0.16 g/t Au

1155-1240', 85' (352-378m, 25.9m) @ 0.19 g/t Au

**Silver**

680-705', 25' (207.3-214.9m, 7.6m) @ 21.21 g/t Ag

Includes:

- 685-690', 5' (208.8-210.3m, 1.5m) @ 53.17 g/t Ag
- 760-775', 15' (231.6-236.2m, 4.6m) @ 8.83 g/t Ag
- 785-790', 5' (239.3-240.8m, 1.5m) @ 8.11 g/t Ag
- 800-860', 60' (243.8-262.1m, 18.3m) @ 28.17 g/t Ag

Includes:

- 805-820', 15' (245.4-249.9m, 4.6m) @ 74.58 g/t Ag
- 915-950', 35' (278.9-289.6m, 10.7m) @ 7.97 g/t Ag
- 965-975', 10' (294.1-297.2m, 3.1m) @ 7.74 g/t Ag
- 1015-1030', 15' (309.4-313.9m, 4.6m) @ 11.80 g/t Ag

**Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-123 to ES-136**

**Cut-off 0.12 g/t Gold & 6.86 g/t Silver**

**ES-134**

**Gold**

845-855', 10' (257.6-260.6m, 3.1m) @ 0.23 g/t Au

**No Significant Silver**

**ES-135**

**Gold**

350-365', 15' (106.7-111.3m, 4.6m) @ 0.15 g/t Au

450-455', 5' (137.2-138.7m, 1.5m) @ 0.17 g/t Au

610-650', 40' (185.9-198.1m, 12.2m) @ 0.25 g/t Au

**No Significant Silver**

**ES-136**

**Gold**

625-630', 5' (190.5-192m, 1.5m) @ 1.65 g/t Au

700-715', 15' (213.4-217.9m, 4.6m) @ 0.12 g/t Au

725-750', 25' (221-228.6m, 7.6m) @ 0.91 g/t Au

Includes:

730-735', 5' (222.5-224m, 1.5m) @ 3.10 g/t Au

**Silver**

725-735', 10' (221-224m, 3.1m) @ 10.36 g/t Ag