



Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

2016-07-18

2016

ES-112

Gold

225-235', 10' (68.6-71.6m, 3.1m) @ 0.12 g/t Au
360-365', 5' (109.7-111.3m, 1.5m) @ 0.12 g/t Au
585-640', 55' (178.3-195.1m, 16.8m) @ 0.21 g/t Au
680-685', 5' (207.3-208.8m, 1.5m) @ 0.13 g/t Au
990-995', 5' (301.8-303.3m, 1.5m) @ 0.13 g/t Au
1185-1195', 10' (361.2-364.2m, 3.1m) @ 0.19 g/t Au

No Significant Silver

ES-113

1227'; 600-1227' Core

Gold

400-405', 5' (121.9-123.4m, 1.5m) @ 0.13 g/t Au
430-435', 5' (131.1-132.6m, 1.5m) @ 0.12 g/t Au
590-600', 10' (179.8-182.9m, 3.1m) @ 0.48 g/t Au
620-623', 3' (189-189.9m, 0.9m) @ 0.14 g/t Au
648-659.5', 11.5' (197.5-201m, 3.5m) @ 0.22 g/t Au
693-746', 53' (211.2-227.4m, 16.2m) @ 0.25 g/t Au
780-789', 9' (237.7-240.5m 2.7m) @ 0.12 g/t Au
799-840.5', 41.5' (243.5-256.2m, 12.7m) @ 0.20 g/t Au
857-871', 14' (261.2-265.5m, 4.3m) @ 0.38 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-113 Continued

911.5-954', 42.5' (277.8-290.8m, 13m) @ 1.12 g/t Au

Includes:

- 941-949', 8' (286.8-289.3m, 2.4m) @ 4.38 g/t Au

1017-1123', 106' (310-342.3m, 32.3m) @ 0.33 g/t Au

Includes:

- 1047-1052', 5' (319.1-320.7m, 1.5m) @ 1.57 g/t Au
- 1083.5-1087.5', 4' (330.3-331.5m, 1.2m) @ 1.15 g/t Au

1137-1219', 82' (346.6-371.6m, 25m) @ 1.26 g/t Au

Includes:

- 1181-1204', 23' (360-367m, 7m) @ 3.47 g/t Au

Silver

590-595', 5' (179.8-181.4m, 1.5m) @ 11.30 g/t Ag

648-659.5', 11.5' (197.5-201m, 3.5m) @ 8.41 g/t Ag

718.5-722.5', 4' (219-220.2m, 1.2m) @ 7.40 g/t Ag

802-810', 8' (244.5-246.9m, 2.4m) @ 12.95 g/t Ag

911.5-949', 37.5' (277.8-289.3m, 11.4m) @ 11.54 g/t Ag

1052-1070', 18' (320.7-326.1m, 5.5m) @ 9.42 g/t Ag

1083.5-1093.5', 10' (330.3-333.3m, 3.1m) @ 9.89 g/t Ag

1183.5-1200', 26.5' (360.7-365.8m, 8.1m) @ 21.55 g/t Ag

ES-114

0-1247', Core

Gold

40-45', 5' (12.2-13.7m, 1.5m) @ 0.12 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-114 Continued

80-85', 5' (24.4-27.4m, 1.5m) @ 0.47 g/t Au
160-163', 3' (48.8-49.7m, 0.9m) @ 0.14 g/t Au
169.5-173', 3.5' (51.7-52.7m, 1.1m) @ 0.16 g/t Au
210-213.5', 3.5' (64-65.1m, 1.1m) @ 0.16 g/t Au
260-262.5', 2.5' (79.3-80m, 0.8m) @ 0.33 g/t Au
290-293', 3' (88.4-89.3m, 0.9m) @ 4.84 g/t Au
322-327', 5' (98.2-99.7m, 1.5m) @ 0.14 g/t Au
342-347', 5' (104.2-105.8m, 1.5m) @ 0.22 g/t Au
382-397', 15' (116.4-121m, 4.6m) @ 0.62 g/t Au
447-492', 45' (136.3-150m, 13.7m) @ 0.69 g/t Au

Includes:

- 449.5-457', 7.5' (137-139.3m, 2.3m) @ 3.29 g/t Au
- 510-515', 5' (155.5-157m, 1.5m) @ 0.38 g/t Au
- 556-610', 54' (169.5-185.9m, 16.5m) @ 0.33 g/t Au
- 640-1105', 465' (195.1-336.8m, 141.7m) @ 0.53 g/t Au

Includes:

- 907-912', 5' (276.5-278m, 1.5m) @ 2.61 g/t Au
- 964-979.5', 15.5' (293.8-298.6m, 4.7m) @ 6.45 g/t Au
- 1035-1040', 5' (315.5-317m, 1.5m) @ 3.25 g/t Au

Silver

80-85', 5' (24.4-25.8m, 1.5m) @ 12.20 g/t Ag
169.5-173', 3.5' (51.7-52.7m, 1.1m) @ 7.56 g/t Ag
210-213.5', 3.5' (64-65.1m, 1.1m) @ 12.10 g/t Ag
260-262.5', 2.5' (79.3-80m, 0.8m) @ 8.67 g/t Ag

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Silver, ES-114 Continued

290-293', 3' (88.4-89.3m, 0.9m) @ 48.82 g/t Ag

392-397', 5' (119.5-121m, 1.5m) @ 8.70 g/t Ag

449.5-452', 2.5' (137-137.8m, 0.8m) @ 28.32 g/t Ag

710-715', 5' (216.4-217.9m, 1.5m) @ 13.80 g/t Ag

770-795', 25' (234.7-242.3m, 7.6m) @ 35.09 g/t Ag

Includes:

- 776-780', 4' (236.5-237.7m, 1.2m) @ 100.00 g/t Ag

907-912', 5' (276.5-278m, 1.5m) @ 26.30 g/t Ag

964-967', 3' (293.8-294.7m, 0.9m) @ 13.87 g/t Ag

975.5-979.5', 4' (297.3-298.6m, 1.2m) @ 20.80 g/t Ag

ES-115

1497'; 600-1497' Core

Gold

145-185', 40' (44.2-56.4m, 12.2m) @ 0.23 g/t Au

726-747', 21' (221.3-227.7m, 6.4m) @ 0.26 g/t Au

763.5-766', 2.5' (232.7-233.5m, 0.8m) @ 0.38 g/t Au

819-824', 5' (249.6-251.2m, 1.5m) @ 0.15 g/t Au

905.5-908', 2.5' (276-276.8m, 0.8m) @ 0.40 g/t Au

980-985', 5' (298.7-300.2m, 1.5m) @ 0.63 g/t Au

1005-1029', 24' (306.3-313.6m, 7.3m) @ 0.34 g/t Au

1048-1052', 4' (319.4-320.6m, 1.2m) @ 0.17 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-115 Continued

1079-1133', 54' (328.9-345.3m, 16.5m) @ 0.91 g/t Au

Includes:

- 1095-1113', 18' (333.8-339.2m, 5.5m) @ 1.78 g/t Au

1145-1158', 13' (349-353m, 4m) @ 0.14 g/t Au

1362-1382', 20' (415.1-421.2m, 6.1m) @ 14.52 g/t Au

Includes:

- 1372-1377', 5' (418.2-419.7m, 1.5m) @ 56.89 g/t Au

1392-1402', 10' (424.3-427.3m, 3.1m) @ 0.24 g/t Au

Silver

726-742', 16' (221.3-226.2m, 4.9m) @ 7.89 g/t Ag

1095-1113', 18' (333.8-339.2m, 5.5m) @ 24.34 g/t Ag

1372-1377', 5' (418.2-419.7m, 1.5m) @ 58.41 g/t Ag

ES-116

Gold

150-160', 10' (45.7-48.8m, 3.1m) @ 0.14 g/t Au

190-195', 5' (57.9-59.4m, 1.5m) @ 0.40 g/t Au

255-260', 5' (77.7-79.3m, 1.5m) @ 0.16 g/t Au

330-405', 75' (100.6-123.4m, 22.9m) @ 0.17 g/t Au

450-455', 5' (137.2-138.7m, 1.5m) @ 0.18 g/t Au

465-470', 5' (141.7-143.3m, 1.5m) @ 0.14 g/t Au

510-540', 30' (155.5-164.6m, 9.1m) @ 0.34 g/t Au

555-580', 25' (169.2-176.8m, 7.6m) @ 0.71 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-116 Continued

610-845', 235' (185.9-257.6m, 71.6m) @ 0.50 g/t Au

Includes:

- 630-640', 10' (192-195.1m, 3.1m) @ 1.65 g/t Au
- 770-775', 5' (234.7-236.2m, 1.5m) @ 2.03 g/t Au
- 805-810', 5' (245.4-246.9m, 1.5m) @ 2.92 g/t Au

955-970', 15' (291.1-295.7m, 4.6m) @ 0.28 g/t Au

Silver

255-275', 20' (77.7-83.8m, 6.1m) @ 6.15 g/t Ag

330-350', 20' (100.6-106.7m, 6.1m) @ 9.91 g/t Ag

400-405', 5' (121.9-123.4m, 1.5m) @ 18.40 g/t Ag

515-520', 5' (157-158.5m, 1.5m) @ 18.80 g/t Ag

560-580', 20' (170.7-176.8m, 6.1m) @ 15.49 g/t Ag

610-615', 5' (185.9-187.5m, 1.5m) @ 7.70 g/t Ag

705-720', 15' (214.9-219.5m, 4.6m) @ 19.33 g/t Ag

800-815', 15' (243.8-248.4m, 4.6m) @ 14.68 g/t Ag

965-970', 5' (294.1-295.7m, 1.5m) @ 13.40 g/t Ag

ES-117

Gold

255-260', 5' (77.7-79.3m, 1.5m) @ 0.13 g/t Au

285-290', 5' (86.9-88.4m, 1.5m) @ 0.34 g/t Au

315-340', 25' (96-103.6m, 7.6m) @ 0.21 g/t Au

360-410', 50' (109.7-125m, 15.2m) @ 0.29 g/t Au

470-475', 5' (143.3-144.8m, 1.5m) @ 0.13 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-117 Continued

565-570', 5' (172.2-173.7m, 1.5m) @ 0.12 g/t Au

580-590', 10' (176.8-179.8m, 3.1m) @ 0.13 g/t Au

605-610', 5' (184.4-185.9m, 1.5m) @ 0.14 g/t Au

625-945', 320' (190.5-288m, 97.5m) @ 0.68 g/t Au

Includes:

- 675-690', 15' (205.7-210.3m, 4.6m) @ 3.17 g/t Au
- 715-735', 20' (217.9-224m, 6.1m) @ 1.99 g/t Au

Silver

470-475', 5' (143.3-144.8m, 1.5m) @ 15.31 g/t Ag

635-645', 10' (193.5-196.6m, 3.1m) @ 16.93 g/t Ag

675-680', 5' (205.7-207.3m, 1.5m) @ 19.80 g/t Ag

710-780', 70' (216.4-237.7m, 21.3m) @ 26.60 g/t Ag

Includes:

- 715-740', 25' (217.9-225.6m, 7.6m) @ 62.54 g/t Ag
- 825-835', 10' (251.5-254.5m, 3.1m) @ 11.41 g/t Ag
- 850-855', 5' (259.14-260.6m, 1.5m) @ 14.70 g/t Ag
- 865-870', 5' (263.7-265.2m, 1.5m) @ 14.20 g/t Ag
- 905-935', 30' (275.8-285m, 9.1m) @ 8.06 g/t Ag

ES-118

Gold

255-265', 10' (77.7-80.8m, 3.1m) @ 0.29 g/t Au

295-315', 20' (89.9-96m, 6.1m) @ 0.22 g/t Au

550-585', 35' (167.6-178.3m, 10.7m) @ 0.55 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-118 Continued

605-610', 5' (184.4-185.9m, 1.5m) @ 0.49 g/t Au

625-820', 195' (109.5-249.9m, 59.4m) @ 0.74 g/t Au

Includes:

- 770-795', 25' (234.7-242.3m, 7.6m) @ 3.07 g/t Au
- 845-865', 20' (257.6-263.7m, 6.1m) @ 0.17 g/t Au
- 920-940', 20' (280.4-286.5m, 6.1m) @ 0.33 g/t Au

Silver

305-310', 5' (93-94.5m, 1.5m) @ 7.10 g/t Ag

700-725', 25' (213.4-201m, 7.6m) @ 12.67 g/t Ag

740-815', 75' (225.6-248.4m, 22.9m) @ 38.76 g/t Ag

Includes:

- 775-790', 15' (236.2-240.8m, 4.6m) @ 106.62 g/t Ag

ES-119

Gold

300-315', 15' (91.4-96m, 4.6m) @ 0.24 g/t Au

505-515', 10' (153.9-157m, 3.1m) @ 0.15 g/t Au

545-560', 15' (166.1-170.7m, 4.6m) @ 0.58 g/t Au

575-580', 5' (175.3-176.8m, 1.5m) @ 0.14 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-119 Continued

605-860', 255' (184.4-262.1m, 77.7m) @ 0.83 g/t Au

Includes:

- 710-715', 5' (216.4-217.9m, 1.5m) @ 5.64 g/t Au
- 755-765', 10' (230.1-233.2m, 3.1m) @ 3.45 g/t Au
- 780-790', 10' (237.7-240.8m, 3.1m) @ 1.90 g/t Au
- 835-850', 15' (254.5-259.1m, 4.6m) @ 3.90 g/t Au

895-925', 30' (272.8-281.9m, 9.1m) @ 0.28 g/t Au

945-980', 35' (288-298.7m, 10.7m) @ 0.17 g/t Au

Silver

300-305', 5' (91.4-93m, 1.5m) @ 13.09 g/t Ag

545-555', 10' (166.1-169.2m, 3.1m) @ 12.30 g/t Ag

605-610', 5' (184.4-185.9m, 1.5m) @ 7.31 g/t Ag

615-620', 5' (187.5-189m, 1.5m) @ 7.42 g/t Ag

710-715', 5' (216.4-217.9m, 1.5m) @ 11.70 g/t Ag

740-795', 55' (225.6-242.3m, 16.8m) @ 14.84 g/t Ag

835-860', 25' (254.5-262.1m, 7.6m) @ 21.09 g/t Ag

910-920', 10' (277.4-280.4m, 3.1m) @ 11.96 g/t Ag

ES-120

1895', Core

Gold

119-128', 9' (36.3-39m, 2.7m) @ 0.35 g/t Au

142-145.5', 3.5' (43.3-44.3m, 1.1m) @ 0.13 g/t Au

161-166.5', 5.5' (49.1-50.8m, 1.7m) @ 0.15 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-120 Continued

194-199', 5' (59.1-60.7m, 1.5m) @ 0.16 g/t Au
209-213.5', 4.5' (63.7-65.1m, 1.4m) @ 0.19 g/t Au
930-934', 4' (283.5-284.7m, 1.2m) @ 0.82 g/t Au
990-993', 3' (301.8-302.7m, 0.9m) @ 0.13 g/t Au
1047-1052', 5' (319.1-320.6m, 1.5m) @ 0.22 g/t Au
1067-1072', 5' (325.2-326.7m, 1.5m) @ 0.12 g/t Au
1087-1097', 10' (331.3-334.4m, 3.1m) @ 0.63 g/t Au
1120-1141.5', 21.5' (341.4-347.9m, 6.6m) @ 0.42 g/t Au
1165-1168', 3' (355.1-356m, 0.9m) @ 0.30 g/t Au
1181-1207', 26' (360-367.9m, 7.9m) @ 0.27 g/t Au
1226-1236', 10' (373.7-376.7m, 3.1m) @ 0.18 g/t Au
1244-1248', 4' (379.2-380.4m, 1.2m) @ 0.31 g/t Au
1255-1260', 5' (382.5-384.1m, 1.5m) @ 0.45 g/t Au
1267-1332', 65' (386.2-406m, 19.8m) @ 0.60 g/t Au

Silver

1165-1168', 3' (355.1-356m, 0.9m) @ 7.11 g/t Ag
1199-1207', 8' (365.5-367.9m, 2.4m) @ 7.22 g/t Ag
1226-1248', 22' (373.7-380.4m, 6.7m) @ 8.03 g/t Ag
1270-1284', 14' (387.1-391.4m, 4.3m) @ 7.59 g/t Ag
1292-1317', 25' (393.8-401.4m, 7.6m) @ 7.92 g/t Ag

ES-121

Gold

380-565', 185' (115.8-172.2m, 56.4m) @ 0.22 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-121 Continued

670-930', 260' (204.2-283.5m, 79.3m) @ 0.67 g/t Au

Includes:

865-885', 20' (263.7-269.8m, 6.1m) @ 4.32 g/t Au

Silver

400-425', 25' (121.9-129.5m, 7.6m) @ 26.82 g/t Ag

480-485', 5' (146.3-147.8m, 1.5m) @ 8.70 g/t Ag

495-500', 5' (150.9-152.4m, 1.5m) @ 7.70 g/t Ag

525-530', 5' (160-163.1m, 1.5m) @ 12.43 g/t Ag

555-565', 10' (169.2-172.2m, 3.1m) @ 9.12 g/t Ag

735-750', 15' (224-239.3m, 4.6m) @ 11.15 g/t Ag

770-785', 15' (234.7-239.3m, 4.6m) @ 10.28 g/t Ag

815-820', 5' (248.4-249.9m, 1.5m) @ 9.43 g/t Ag

840-845', 5' (256-257.6m, 1.5m) @ 8.67 g/t Ag

860-920', 60' (262.1-280.4m, 18.3m) @ 28.75 g/t Ag

ES-122

Gold

240-245', 5' (73.2-74.7m, 1.5m) @ 0.18 g/t Au

430-435', 5' (131.1-132.9m, 1.5m) @ 0.28 g/t Au

460-465', 5' (140.2-141.7m, 1.5m) @ 0.36 g/t Au

510-540', 30' (155.5-164.6m, 9.1m) @ 0.12 g/t Au

555-560', 5' (169.2-170.7m, 1.5m) @ 0.21 g/t Au

570-640', 70' (173.7-195.1m, 21.3m) @ 0.18 g/t Au

655-725', 70' (199.6-221m, 21.3m) @ 0.18 g/t Au

Eastside Drill Hole Assay Summary Log: 2016 Drilling ES-112 to ES-122

Cut-off 0.12 g/t Gold & 6.86 g/t Silver

Gold, ES-122 Continued

760-955', 195' (231.7-291.1m, 59.4m) @ 0.85 g/t Au

Includes:

- 795-805', 10' (242.3-245.4m, 3.1m) @ 1.91 g/t Au
- 830-840', 10' (253-256m, 3.1m) @ 2.47 g/t Au
- 855-890', 35' (260.6-271.3m, 10.7m) @ 1.72 g/t Au

1035-1040', 5' (315.5-317m, 1.5m) @ 0.18 g/t Au

1060-1065', 5' (323.1-324.6m, 1.5m) @ 0.13 g/t Au

Silver

510-515', 5' (155.5-157m, 1.5m) @ 10.32 g/t Ag

580-585', 5' (176.8-178.3m, 1.5m) @ 12.63 g/t Ag

675-685', 10' (205.7-208.8m, 1.5m) @ 10.43 g/t Ag

760-785', 25' (231.7-239.3m, 7.6m) @ 18.46 g/t Ag

830-840', 10' (253-256m, 3.1m) @ 12.39 g/t Ag

870-885', 15' (265.2-269.7m, 4.6m) @ 19.39 g/t Ag

940-955', 15' (286.5-291.1m, 4.6m) @ 12.69 g/t Ag